



XF-PTL04562-M72-11.48-VI

Specification

Optical structure	Bi-Telecentric
Magnification	1.43
Object field of view	Φ43.3mm
Image field of view	Φ62mm
Working Distance	120mm±3%
Telecentricity	<0.03°(0.1°)
Depth of field	0.8mm@F15
F#	F6-F83
Resolution	6.93μm@F15
MTF	>0.3@68lp/mm@F15
Distortion	<0.029%(0.10%)
Detector type:	

35film 36×24	25.2×16.8mm
2' 23×23	16.1×16.1mm
4/3' 18×13.5	12.6×9.4mm
1.1' 14.2×10.4	9.9×7.3mm
4K Linear scan 4096×7μm	20.1mm
8K Linear scan 8192×5μm	28.6mm
8K Linear scan 8192×7μm	40.1mm
12K Linear scan 12288×5μm	43.0mm

Optional camera mount:

- 1、M58×0.75
- 2、M72×0.75

XF-PTLAAABB-C/F/P/M- (L90E)

<p>The fourth generation lens of Canrill</p> <p>Object FOV</p> <p>Image FOV</p>	<p>The camera mount (M & P mount need specify BFL)</p> <p>90° Steering option</p>	
--	---	--

Undefined tolerance (mm)		degree	File Name		
X. X	±0.2	±30min	XF-PTL04562-M72-11.48-VI-外形尺寸-EN		
X. XX	±0.02		Drawing Name		
X. XXX	±0.005	Drawing Size: A3			
	Sign	Data/Ver.	Material	Ratio	Product Name
Design				1:5	
Modify1			Qty		Canrill OPTICS
Modify2			Total:	Page:	All design and drawings are intellectual property of Canrill Optics, can not be copied without Canrill's authorization.